

MODIFIED GRAN'S PLOT METHOD FOR CALIBRATIONLESS
POTENTIOMETRIC NITRATE DETERMINATION

V. DOROSHCHUK, B. OLIINYK, S. ALEKSEEV

References:

1. De Roo H.C. Nitrate fluctuation in groundwater as influenced by use of fertilizer. *Bulletine Connecticut Agr. Exp. Station*, **1980**, 779, 1-13.
2. Klochenko P.D. Metabolizm azotu u prysnovodnih vodoroslej ta jogo rol' u formuvanni ih ugrupuvan ta jakosti vodi (Avtoreferat dysertacii d. b. n.) *NAN Ukrai'ny, In-t gidrobiologii*, Kyiv, **2002**, 38 s.
3. Tilak K. S.; Veeraiah K.; Milton Prema Raju J. Effects of ammonia, nitrite and nitrate on hemoglobin content and oxygen consumption of freshwater fish, *Cyprinus Carpio* (linnaeus). *J. Environ. Biol.* **2007**, 28 (1), 45–47.
4. McGurk M. D.; Landry F.; Tang A. Acute and chronic toxicity of nitrate to early life stages of lake trout (*Salvelinus Namaycush*) and lake whitefish (*Coregonus Clupeaformis*). *Environ. Toxicol. Chem.* **2006**, 25 (8), 2187–2196, <https://doi.org/10.1897/05-270r.1>
5. Camargo J. A.; Ward J. V. Short-term toxicity of sodium nitrate (NaNO_3) to non-target freshwater invertebrates. *Chemosphere* **1992**, 24 (1), 23–28. [https://doi.org/10.1016/0045-6535\(92\)90563-7](https://doi.org/10.1016/0045-6535(92)90563-7)
6. Camargo J. A.; Ward J. V. Nitrate (NO_3N) toxicity to aquatic life: a proposal of safe concentrations for two species of nearctic freshwater invertebrates. *Chemosphere* **1995**, 31 (5), 3211–3216. <https://doi.org/10.1016/0045-6535%2895%2900182-8>
7. Fraser, P. Health aspects of nitrate in drinking water. *Stud. Environ. Sci.* **1981**, 12 (C), 103–116. [https://doi.org/10.1016/s0048-9697\(81\)80053-8](https://doi.org/10.1016/s0048-9697(81)80053-8)
8. Oakes D. Nitrate in Water; *Woodhead Publishing Limited*, **1996**.
9. Johnson K. S.; Coletti L. J. In situ ultraviolet spectrophotometry for high resolution and long-term monitoring of nitrate, bromide and bisulfide in the ocean. *Deep. Res. Part I Oceanogr. Res. Pap.* **2002**, 49 (7), 1291–1305. [https://doi.org/10.1016/S0967-0637\(02\)00020-1](https://doi.org/10.1016/S0967-0637(02)00020-1)
10. Moo Y. C.; Matjafri M. Z.; Lim H. S. New development of optical fibre sensor for determination of nitrate and nitrite in water. *Optik (Stuttg.)* **2016**, 127 (3), 1312–1319. <https://doi.org/10.1016/j.ijleo.2015.09.072>
11. Liteanu C.; Stefaniga E.; Hoptrean E. Nitrate-selective liquid membrane electrodes. *Analytical Chem. Review* **1981**, 5(3), 159–184. <https://doi.org/10.1515/REVAC.1981.5.3-4.159>
12. Thompson M.; Ellison S. L. R. A review of interference effects and their correction in chemical analysis with special reference to uncertainty. *Accredit. Qual. Assur.* **2005**, 10 (3), 82–97. <https://doi.org/10.1007/s00769-004-0871-5>
13. Gran G. Determination of the equivalence point in potentiometric titrations. Part II. *Analyst*, **1952**, 77, 661-671. <https://doi.org/10.1039/AN9527700661>
14. Vesely J. Analysis with ion-selective electrodes, *Halsted Press*, New York. **1978**.
15. Gran G.; Johansson A. Automatic titration by stepwise addition of equal volumes of titrant. Part VII. *Analyst*, **1981**, 106(231), 1109-1118. <https://doi.org/10.1039/AN9810601109>
16. Bader M. A systematic approach to standard addition methods in instrumental analysis. *Journal of Chemical Education*, **1980**, 57(10), 703-713. <https://doi.org/10.1021/ed057p703>
17. Ilcheva L.; Polianova M.; Dalukov J. Ion-Selective determination of total metal ion concentration in an excess of complexing ligand using the standard additions method. *Analyst*, **1985**, 110 (4), 359–363. <https://doi.org/10.1039/AN9851000359>
18. Budnikov G.K.; Majstrenko V. N.; Vjaselev M. R. Osnovy sovremennogo jelektrohimicheskogo analiza. M.: Mir; Binom LZ, **2003**. — 592 s.
19. Li H. Improvement of Gran's plot method in standard addition and subtraction methods by a new plot method. *Anal. Lett.* **1991**, 24 (3), 473–483. <https://doi.org/10.1080/00032719108052919>
20. Michałowski T.; Pilarski B.; Ponikvar-Svet M. New methods applicable for calibration of indicator electrodes. *Talanta*, **2011**, 83 (5), 1530–1537. <https://doi.org/10.1016/j.talanta.2010.11.067>
21. Craggs A.; Moody G.J.; Thomas J. D. PVC matrix membrane ion-selective electrodes: construction and laboratory experiments. *J. Chem. Educ.* **1974**, 51 (8), 541–544. <https://doi.org/10.1021/ed051p541>
22. Method 9210A. Potentiometric determination of nitrate in aqueous samples with ion-selective electrode, *United States Environmental Protection Agency* **2007**.
23. Umwzawa Y. Potentiometric selectivity coefficients of ion-selective electrodes (Technical Report), *Pure and Applied Chemistry*, **2000**, 72(10), 1851–2082. <https://doi.org/10.1351/pac200072101851>
24. ISO 13395:1996 Water quality — Determination of nitrite nitrogen and nitrate nitrogen and the sum of both by flow analysis (CFA and FIA) and spectrometric detection, <https://www.iso.org/standard/21870.html>
25. Miller A.J.; Zhen R. G. Measurement of intracellular nitrate concentrations in Chara using nitrate-selective microelectrodes. *Planta*, **1991**, 184 (1), 47–52. <https://doi.org/10.1007/BF00208235>

26. Zhen R.; Koyro H.; Leigh R. A. Compartmental nitrate concentrations in barley root cells measured with nitrate-selective microelectrodes and by single-cell sap sampling. **1991**, 356–361. <https://doi.org/10.1007/BF00201056>
27. Zhen, R. G.; Smith, S. J.; Miller, A. J. A Comparison of Nitrate-Selective Microelectrodes Made with Different Nitrate Sensors and the Measurement of Intracellular Nitrate Activities in Cells of Excised Barley Roots. *J. Exp. Bot.* **1992**, 43 (2), 131–138. <https://doi.org/10.1093/jxb/43.2.131>.
28. Wegmann D.; Weiss H.; Ammann D.; Morf W.E. Anion-selective liquid membrane electrodes based on lipophilic quaternary ammonium compounds. *Microchim. Acta* **1984**, III, 1-16. <https://doi.org/10.1007/BF01204153>
29. Wakida S. Durable poly(vinyl chloride) matrix ion-selective field effect transistors for nitrate ions. *Bunseki Kagaku* **1989**, 38, 510-514. https://doi.org/10.2116/bunsekikagaku.38.10_510