

A NEW FLUORESCENT PROBE BASED ON N-(2-CARBOXYMETHYL)BENZOAZA-15-CROWN-5 FOR SENSITIVE AND SELECTIVE DETERMINATION OF Cu<sup>2+</sup>

A.V. YEGOROVA, YU.V. SKRYPYNETS, I.I. LEONENKO, D.I. ALEKSANDROVA,  
T.I. KIRICHENKO, S.S. BASOK, C.YU. KULYGINA

## References:

1. EPA US. National Primary Drinking Water Regulation. <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulations>.
2. de Acha N, Elosúa C, Corres J, Arregui F. Fluorescent sensors for the detection of heavy metal ions in aqueous media. *Sensors* 2019, 19(3), 599. <https://doi.org/10.3390/s19030599>
3. Chowdhury S, Roj B, Dutta A, Mandal U. Review on recent advances in metal ions sensing using different fluorescent probes. *J Fluoresc* 2018, 28(4), 999–1021. <https://doi.org/10.1007/s10895-018-2263-y>
4. Valeur B. Design principles of fluorescent molecular sensors for cation recognition. *Coord Chem Rev* 2000, 205(1), 3–40. [https://doi.org/10.1016/S0010-8545\(00\)00246-0](https://doi.org/10.1016/S0010-8545(00)00246-0)
5. Li J, Yim D, Jang W-D, Yoon J. Recent progress in the design and applications of fluorescence probes containing crown ethers. *Chem Soc Rev* 2017, 46(9), 2437–2458. <https://doi.org/10.1039/c6cs00619a>
6. Zhao Y, Zhang X-B, Han Z-X, Qiao L, Li C-Y, Jian L-X, Yu R-Q. Highly sensitive and selective colorimetric and off-on fluorescent chemosensor for Cu<sup>2+</sup> in aqueous solution and living cells. *Anal Chem* 2009, 81(16), 7022–7030. <https://doi.org/10.1021/ac901127n>
7. Lee DY, Singh N, Jang DO. A benzimidazole-based single molecular multianalyte fluorescent probe for the simultaneous analysis of Cu<sup>2+</sup> and Fe<sup>3+</sup>. *Tetrahedron Lett* 2010, 51(7), 1103–1106. <https://doi.org/10.1016/j.tetlet.2009.12.085>
8. Seo H, An M, Kim B-Y, Choi J-H, Helal A., Kim H-S. Highly selective fluorescent probe for sequential recognition of copper(II) and iodide ions. *Tetrahedron* 2017, 73(31), 4684–4691. <https://doi.org/10.1016/j.tet.2017.06.034>
9. Hwang SM, Chae JB, Kim CA. Phenanthroimidazole-based fluorescent turn-off chemosensor for the selective detection of Cu<sup>2+</sup> in aqueous media. *Bull Korean Chem Soc* 2018, 39(8), 925–930. <https://doi.org/10.1002/bkcs.11526>
10. Goswami S, Sen D, Das NK. A new highly selective, ratiometric and colorimetric fluorescence sensor for Cu<sup>2+</sup> with a remarkable red shift in absorption and emission spectra based on internal charge transfer. *Org Lett* 2010, 12(4), 856–859. <https://doi.org/10.1021/ol9029066>
11. Shivaprasad M, Govindaraju T. Rhodamine based bright red colourimetric and turn-on fluorescence chemosensor for selective detection of Cu<sup>2+</sup>. *Mater Technol* 2011, 26(4), 168–172. <https://doi.org/10.1179/175355511x13109965351239>
12. Jiao Y, Zhou L, He H, Yin J, Gao Q, Wei J, Peng X. A novel rhodamine B-based “off-on” fluorescent sensor for selective recognition of copper(II) ions. *Talanta* 2018, 184, 143–148. <https://doi.org/10.1016/j.talanta.2018.01.073>
13. Rout K, Manna AK, Sahu M, Mondal J, Singh SK, Patra GK. Triazole-based novel bis Schiff base colorimetric and fluorescent turn-on dual chemosensor for Cu<sup>2+</sup> and Pb<sup>2+</sup>: application to living cell imaging and molecular logic gates. *RSC Adv* 2019, 9(44), 25919–25931. <https://doi.org/10.1039/c9ra03341f>
14. Li Y, Lan H, Yan X, Shi X, Liu X, Xiao S. Retinal-based polyene fluorescent probe for selectively detection of Cu<sup>2+</sup> in physiological saline and serum. *Spectrochim Acta Mol Biomol Spectrosc* 2020, 227, 117565. <https://doi.org/10.1016/j.saa.2019.117565>
15. Feng S, Gao Q, Gao X, Yin J, Jiao Y. Fluorescent sensor for copper(II) ion based on coumarin derivative and its application in cell imaging. *Inorg Chem Comm* 2019, 102, 51–56. <https://doi.org/10.1016/j.inoche.2019.01.012>
16. Wang J, Zong Q. A new turn-on fluorescent probe for the detection of copper ion in neat aqueous solution. *Sens Act Chem* 2015, 216, 572–577. <https://doi.org/10.1016/j.snb.2015.04.095>
17. Chen Z, Wang L, Zou G, Tang J, Cai X, Teng M, Chen L. Highly selective fluorescence turn-on chemosensor based on naphthalimide derivatives for detection of copper(II) ions. *Spectrochim Acta Mol Biomol Spectrosc* 2013, 105, 57–61. <https://doi.org/10.1016/j.saa.2012.12.005>
18. Kim G, Choi D, Kim C. A benzothiazole-based fluorescence turn-on sensor for copper(II). *J Fluoresc* 2021, 31, 1203–9. <https://doi.org/10.1007/s10895-021-02752-x>
19. Mal K, Naskar B, Prodhan C, Chaudhuri T, Goswami S, Chaudhuri K, Mukhopadhyay C. Synthesis of quinoline functionalized fluorescent chemosensor for Cu(II), DFT studies and its application in imaging in living HEK 293 cells. *J Photochem Photobiol Chem* 2019, 112211. <https://doi.org/10.1016/j.jphotochem.2019.112211>

20. Bhaskar R, Kumar GGV, Sivaraman G, Rajesh J, Sarveswari S. Fluorescence “turn-on” sensor for highly selective recognition of  $\text{Cu}^{2+}$  ion and its application to living cell imaging. *Inorg Chem Comm* 2019, 104, 110-118 <https://doi.org/10.1016/j.inoche.2019.03.041>
21. Karaoglu K, Yilmaz F, Menteşe E. A new fluorescent “turn-off” coumarin-based chemosensor: synthesis, structure and Cu-selective fluorescent sensing in water samples. *J Fluoresc* 2017, 27(4), 1293–8. <https://doi.org/10.1007/s10895-017-2062-x>
22. Wang H, Zhao S, Xu Y, Li L, Li B, Pei M, Zhang G. A new fluorescent probe based on imidazole[2,1-b]benzothiazole for sensitive and selective detection of  $\text{Cu}^{2+}$ . *J Mol Struct* 2019, 127384. <https://doi.org/10.1016/j.molstruc.2019.127384>
23. Slassi S, Aarjane M, El-Ghayoury A, Amine A. A highly turn-on fluorescent CHEF-type chemosensor for selective detection of  $\text{Cu}^{2+}$  in aqueous media. *Spectrochim Acta Mol Biomol Spectrosc* 2019, 215, 348-353. <https://doi.org/10.1016/j.saa.2019.02.099>
24. Chang Y, Li B, Mei H, Yang L, Xu K, Pang X. Indole-based colorimetric probe for selective detection of  $\text{Cu}^{2+}$  and application in living cell imaging. *Spectrochim Acta Mol Biomol Spectrosc* 2020, 226, 117631. <https://doi.org/10.1016/j.saa.2019.117631>
25. Qin J, Dong B, Gao R, Su G, Han J, Li X, Cao L. Water-soluble silica-coated ZnS:Mn nanoparticles as fluorescent sensors for the detection of ultratrace copper(II) ions in seawater. *Anal Methods* 2017, 9(2), 322–328. <https://doi.org/10.1039/c6ay02486f>
26. Cano-Raya C, Ramos MDF, Vallvey LFC, Wolfbeis OS, Schäferling M. Fluorescence quenching of the europium tetracycline hydrogen peroxide complex by copper(II) and other metal ions. *Appl Spectrosc* 2005, 59(10), 1209–1216. <https://doi.org/10.1366/000370205774430945>
27. de Santis G, Fabbrizzi L, Licchelli M, Mangano C, Sacchi D, Sardone N. A fluorescent chemosensor for the copper(II) ion. *Inorg Chim Acta* 1997, 257(1), 69–76. [https://doi.org/10.1016/s0020-1693\(96\)05452-7](https://doi.org/10.1016/s0020-1693(96)05452-7)
28. Lakowicz JR. Principles of fluorescence spectroscopy, 2nd ed. Kluwer Academic/Plenum Publishers, New York, London, Moscow, Dordrecht, 1999. 725 pp. <https://www.sigmaaldrich.com/UA/en/product/sigma/p6736>
29. Guidelines for performance criteria and validation procedures of analytical methods used in controls of food contact materials A CRL-NRL-FCM Publication, 1st edition 2009. [https://mobil.bfr.bund.de/cm/343/guidelines\\_for\\_performance\\_criteria\\_and\\_validation\\_procedures\\_of\\_analytical\\_methods.pdf](https://mobil.bfr.bund.de/cm/343/guidelines_for_performance_criteria_and_validation_procedures_of_analytical_methods.pdf)
30. Thordarson P. Determining association constants from titration experiments in supramolecular chemistry. *Chem Soc Rev* 2011, 40(3), 1305–1323. <https://doi.org/10.1039/c0cs00062k>