

DEVELOPMENT, OPTIMIZATION, AND VALIDATION OF A NOVEL HPLC METHOD FOR SIMULTANEOUS QUANTIFICATION OF ARTESUNATE AND AMODIAQUINE IN TABLET FORMULATIONS

FOUAD ECHERFAOUI, HOUDA BOUCHAFRA, KHADIJA EL BOURAKADI, AIMEN EL ORCHE, MOUNIR EL KACEMI, ABDELHAFID BENOMAR, KHALID KARROUCHI, MUSTAPHA BOUATIA, MILOUD EL KARBANE

References:

1. P. L. Alonso and M. Tanner, "Public health challenges and prospects for malaria control and elimination," *Nat. Med.*, vol. 19, no. 2, pp. 150–155, 2015, doi: 10.1038/nm.3077.
2. T. M. Zuluaga-Idárraga, L., Rios, A., Sierra-Cifuentes, V., Garzón, E., Tobón-Castaño, A., Takehara, I., ... & Lopera-Mesa, "Performance of the hematology analyzer XN - 31 prototype in the detection of Plasmodium infections in an endemic region of Colombia," *Sci. Rep.*, vol. 11, no. 0123456789, p. 5268, 2021, doi: 10.1038/s41598-021-84594-y.
3. G. O. Adewuyi, A. O. Abafe, and A. I. Ayede, "Development and validation of a thin layer chromatographic method for the determination of artesunate and amodiaquine in tablet formulations," *African J. Biotechnol.*, vol. 10, no. 60, pp. 13028–13038, 2011, doi: 10.5897/AJB10.1243.
4. H. Amin, N., Blanchin, M. D., Aké, M., Montels, J., & Fabre, "Capillary electrophoresis for the assay of fixed-dose combination tablets of artesunate and amodiaquine," *Malar. J.*, vol. 11, p. 49, 2012, doi: <http://www.malariajournal.com/content/11/1/149>.
5. K. I. Anyorigiya, T. A., Castel, S., Mauff, K., Atuguba, F., Ogutu, B., Oduro, A., ... & Barnes, "Pharmacokinetic profile of amodiaquine and its active metabolite desethylamodiaquine in Ghanaian patients with uncomplicated falciparum malaria," *Malar. J.*, vol. 20, pp. 1–15, 2021, doi: 10.1186/s12936-020-03553-6.
6. N. Koram, K. A., Abuaku, B., Duah, N., & Quashie, "Comparative efficacy of antimalarial drugs including ACTs in the treatment of uncomplicated malaria among children under 5 years in Ghana," *Acta Trop.*, vol. 95, pp. 194–203, 2005, doi: 10.1016/j.actatropica.2005.06.018.
7. B. Q. Adjei, G. O., Kurtzhals, J. A., Rodrigues, O. P., Alifrangis, M., Hoegberg, L. C., Kitcher, E. D., ... & Goka, "uncomplicated malaria in Ghanaian children : a randomized efficacy and safety trial with one year follow-up," *Malar. J.*, vol. 11, pp. 1–11, 2008, doi: 10.1186/1475-2875-7-127.
8. A. Oduro, A. R., Anyorigiya, T., Anto, F., Amenga-Etego, L., Ansah, N. A., Atobrah, P., ... & Hodgson, "A randomized , comparative study of supervised and unsupervised artesunate – amodiaquine , for the treatment of uncomplicated malaria in Ghana," *Ann. Trop. Med. Parasitol.*, vol. 102, no. 7, pp. 565–576, 2008, doi: 10.1179/136485908X337508.
9. M. Yabré, L. Ferey, I. T. Somé, O. Mercier, and K. Gaudin, "Green reversed-phase HPLC development strategy : application to artesunate and amodiaquine analysis," *J. Sep. Sci.*, vol. 1003–1007, p. 68, 2008, doi: 10.1002/jssc.202000732.
10. P. B. Bloland and P. B. Bloland, Drug resistance in malaria. World Health Organization, 2001.
11. L. A. Yakasai, "An Improved High-Performance Liquid Chromatographic Determination of Chloroquine and its Major Metabolite , Desethylchloroquine , in Human Plasma," *Eur. J. Drug Metab. Pharmacokinet.*, vol. 31, no. 1, pp. 1–4, 2006, doi: 10.1007/BF03190634.
12. P. Christen and J. Veuthey, "New Trends in Extraction , Identification and Quantification of Artemisinin and New Trends in Extraction , Identification and Quantification of Artemisinin and its Derivatives," *Curr. Med. Chem.*, vol. 8, no. January, pp. 1827–1839, 2002, doi: 10.2174/0929867013371563.
13. M. Rais, J. O. Svensson, and L. L. Gustafsson, "High-performance liquid chromatographic method for determination of amodiaquine , chloroquine and their monodesethyl metabolites in biological samples," *J. Chromatogr. B*, vol. 783, pp. 473–480, 2003.
14. H. Naik, D. J. Murry, L. E. Kirsch, and L. Fleckenstein, "Development and validation of a high-performance liquid chromatography – mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma," *J. Chromatogr. B*, vol. 816, pp. 233–242, 2005, doi: 10.1016/j.jchromb.2004.11.042.
15. G. Mohamed, S. S., Khalid, S. A., Ward, S. A., Wan, T. S. M., Tang, H. P. O., Zheng, M., ... & Edwards, "Simultaneous determination of artemether and its major metabolite dihydroartemisinin in plasma by gas chromatography – mass spectrometry-selected ion monitoring," *J. Chromatogr. B*, vol. 731, pp. 251–260, 1999.
16. A. Y. Cui, N. Shen, S. Wang, and Z. Liu, "Trace anti-inflammatory β -carboline alkaloid identified in *Arenaria kansuensis* by two-dimensional chromatography coupled with UniElut C18AEX based solid-phase extraction re-enrichment technology," *J. Chromatogr. B*, vol. 1068, pp. 282–288, 2017, doi: 10.1016/j.jchromb.2017.10.058.

17. G. A. Nogueira, F. H. A., Reis, N. F. A., Chellini, P. R., César, I. D. C., & Pianetti, "Development and validation of an HPLC method for the simultaneous determination of artesunate and mefloquine hydrochloride in fixed-dose combination tablets," *Brazilian J. Pharm. Sci.*, vol. 49, pp. 837–843, 2013.
18. P. N. Ranher, S. S., Gandhi, S. V., Kadukar, S. S., & Ranjane, "A Validated HPLC Method for Determination of Artesunate in Bulk and Tablet Formulation 1," *J. Anal. Chem.*, vol. 65, no. 5, pp. 507–510, 2010, doi: 10.1134/S1061934810050126.
19. L. Gaudiano, M. C., Antoniella, E., Bertocchi, P., & Valvo, "Development and validation of a reversed-phase LC method for analysing potentially counterfeit antimalarial medicines," *J. Pharm. Biomed. Anal.*, vol. 42, pp. 132–135, 2006, doi: 10.1016/j.jpba.2006.01.059.
20. C. Lai, N. K. Nair, S. M. Mansor, P. L. Oliaro, and V. Navaratnam, "An analytical method with a single extraction procedure and two separate high performance liquid chromatographic systems for the determination of artesunate , dihydroartemisinin and mefloquine in human plasma for application in clinical pharmacological studies of the drug combination," vol. 857, pp. 308–314, 2007, doi: 10.1016/j.jchromb.2007.07.037.
21. L. A. Hodel, E. M., Zanolari, B., Mercier, T., Biollaz, J., Keiser, J., Oliaro, P., ... & Decosterd, "A single LC – tandem mass spectrometry method for the simultaneous determination of 14 antimalarial drugs and their metabolites in human plasma," *J. Chromatogr. B J.*, vol. 877, pp. 867–886, 2009, doi: 10.1016/j.jchromb.2009.02.006.
22. P. Bottoni, S. Caroli, and V. R. Elena, "Fake pharmaceuticals : A review of current analytical approaches," *Microchem. J.*, vol. 149, no. February, p. 104053, 2019, doi: 10.1016/j.microc.2019.104053.
23. Y. Le Vaillant, C. B. Y. Grange, and A. N. P. A. Bonnet, "Simultaneous Determination of Artesunate and Amodiaquine in Fixed-Dose Combination by a RP-HPLC Method with Double UV Detection : Implementation in Interlaboratory Study Involving Seven African National Quality Control Laboratories," *Chromatographia*, vol. 75, pp. 617–628, 2012, doi: 10.1007/s10337-012-2241-5.
24. S. Ch, J. R., Rao T, B., & Kumar Goud P, "Development and validation of liquid chromatography method using the principles of QbD for antimalarials used in Artemisinin based combination therapy Development and validation of liquid chromatography method using the combination therapy," *J. Liq. Chromatogr. Relat. Technol.*, vol. 41, no. 0, pp. 955-963., 2019, doi: 10.1080/10826076.2018.1492936.
25. S. Kaur, H., Goodman, C., Thompson, E., Thompson, K. A., Masanja, I., Kachur, S. P., & Abdulla, "A Nationwide Survey of the Quality of Antimalarials in Retail Outlets in Tanzania," *PLoS One*, vol. 3, no. 10, p. e3403, 2008, doi: 10.1371/journal.pone.0003403.
26. J. Nayyar, G. M., Breman, J. G., Newton, P. N., & Herrington, "Poor-quality antimalarial drugs in southeast Asia and sub-Saharan Africa," *Lancet Infect. Dis.*, vol. 12, no. 6, pp. 488–496, 2012, doi: 10.1016/S1473-3099(12)70064-6.
27. P. N. Taberner, P., Fernández, F. M., Green, M., Guerin, P. J., & Newton, "Mind the gaps - the epidemiology of poor-quality anti-malarials in the malarious world - analysis of the WorldWide Antimalarial Resistance Network database," *Malar. J.*, vol. 13, p. 139, 2014, doi: <http://www.malariajournal.com/content/13/1/139> RESEARCH.