

OPTIMIZATION OF ICP-MS ANALYSIS FOR STUDYING MATRIX EFFECTS IN BIOLOGICAL FLUIDS

T.K. NURUBEYLI, N.SH. JAFAR, KH.N. AHMADOVA

References:

1. Messner, B., & Bernhard, D. The Role of Trace Elements in Cardiovascular Diseases. *Toxics*, **2023**, 11(12), 956-965. <https://doi.org/10.3390/toxics11120956>
2. Anirudhan, A.; Angulo-Bejarano, P. I.; Paramasivam, P. et al. RPL6: A Key Molecule Regulating Zinc- and Magnesium-Bound Metalloproteins of Parkinson's Disease. *Frontiers in Neuroscience*, **2021**, 15, 631892. <https://doi.org/10.3389/fnins.2021.631892>
3. Kim, S. J.; Choi, M. C.; Park, J. M. et al. Antitumor Effects of Selenium. *International Journal of Molecular Sciences*, **2021**, 22(21), 11844. <https://doi.org/10.3390/ijms222111844>
4. Nurubeyli, T.K., The Effect of Plasma Density on the Degree of Suppression of Analyte Signals in ICP-MS, *Technical physics*, **2020**, 65(12), 1963-1968.
5. Brodzka, R.; Trzcinka-Ochocka, M.; & Janasik, B. Multi-element analysis of urine using dynamic reaction cell inductively coupled plasma mass spectrometry (ICP-DRC-MS) — A practical application. *International Journal of Occupational Medicine and Environmental Health*, **2013**, 26(2), 302–312. <https://doi.org/10.2478/s13382-013-0106-2>
6. Danuta, D.-A.; Teresa, L.; Tomasz K. et.al. Nickel Content in Human Internal Organs. *Biological Trace Element Research*, **2021**, 199, 2138–2144 <https://link.springer.com/article/10.1007/s12011-020-02347-w>
7. Iyengar, G. V.; Subramanian, K. S.; & Woittiez, J. R. W. Element Analysis of Biological Samples: *Principles and Practices*, **1997**, II. N.Y.: CRC Press. <https://doi.org/10.1201/9781003068358>
8. Kira, C. S.; Sakuma A. M., and Gouveia, N. da C. Fast and simple multi-element determination of essential and toxic metals in whole blood with quadrupole ICP-MS. *Journal of Applied Pharmaceutical Science*, **2014**, 4 (5) 39-45. DOI: 10.7324/JAPS.2014.40507.
9. Nurubeyli, T.K., J.I.Zeynalov, G.N. Mammadova, N.E. Imamverdiyev, Improving Methods for Sample Preparation of Transformer Oils by ICP-MS. *International Journal on "Technical and Physical Problems of Engineering" (IJTPE)*, **2024**, 16 (1), 21-26.
10. Nurubeyli, T.K.; Ahmadova, Kh.N. The role of the spectral matrix effect in the element analysis of biological fluids in ICP-MS. *International Journal of Modern Physics B*, **2021**, 35 (05), 2150094 <https://doi.org/10.1142/S0217984921500949>
11. Nurubeyli, T.K.; Jafar, N.Sh.; Mammadova, G.N. Improving Methods for Sample Preparation of Biological Fluids by Inductively Coupled Plasma Mass Spectrometry. *International Journal of Mass Spectrometry* **2025**, 507 117355. <https://doi.org/10.1016/j.ijms.2024.117355>
12. Huseynova A.G., Nurubeyli, T.K.; G.N.Mammadova Impact of Annealing Temperature on Electrical Properties of Polymer-Based Composites with CoFe₂O₄ Nanoparticles. *International Journal on "Technical and Physical Problems of Engineering" (IJTPE)*, **2024**, 16 (4), 221-230.
13. Pei, K. L.; Kinniburgh, D. W.; Butlin, L. et. al. An ORS-ICP-MS method for monitoring trace levels of cobalt and chromium in whole blood samples from hip arthroplasty patients with metal-on-metal prostheses. *Clinical Biochemistry* **2012**, 45(10–11), 806–810. <https://doi.org/10.1016/j.clinbiochem.2012.03.025>
14. Blas Bravo, I.; Castro, R.S.; Riquelme, N.L. et.al. Optimization of the trace element determination by ICP-MS in human blood serum. *J. Trace Elem. Med. Biol.* **2007**, 21 (1), 14–17. <https://doi.org/10.1016/j.jtemb.2007.09.017>
15. Rambousková, J.; Krsková, A.; Slavíková, M. Trace elements in the blood of institutionalized elderly in the Czech Republic. *Arch. Gerontol. Geriatr.* **2013**, 56 (2), 389–394. <https://doi.org/10.1016/j.archger.2012.11.002>
16. Krause, M., & Stiel, M. ICP-MS trace element analysis in serum and whole blood. *PLOS ONE*, **2020**, 15(5), e0233357. <https://doi.org/10.1371/journal.pone.0233357>
17. Ivanenko, N.B.; Ivanenko, A.A.; Solovyev, N.D. et.al. Biomonitoring of 20 trace elements in blood and urine of occupationally exposed workers by sector field inductively coupled plasma mass spectrometry. *Talanta*. **2013**, 116, 764–769. <https://doi.org/10.1016/j.talanta.2013.07.079>
18. Brockman, Li G.; Lin, Sh-W. J.D.; Abnet, C.C., et.al. Measurement of the trace elements Cu, Zn, Fe, and Mg and the ultratrace elements Cd, Co, Mn, and Pb in limited quantity human plasma and serum samples by inductively coupled plasma-mass spectrometry. *Am. J. Anal. Chem.* **2012**, 3(9), 646–650. https://www.scirp.org/pdf/AJAC20120900005_25908593.pdf
19. Bocca, B.; Madeddu, R.; Asara, Y. et.al. Assessment of reference ranges for blood Cu, Mn, Se and Zn in a selected Italian population. *J. Trace Elem. Med. Biol.* **2011**, 25(1), 19–26. <https://doi.org/10.1016/j.jtemb.2010.12.004>

20. Gajek, R., & Choe, K. Determination of ultra-trace elements in human plasma or serum by ICP-MS using sodium in the presence of carbon as a single calibration matrix-match component. *Journal of Analytical Atomic Spectrometry*, **2015**, 30, 1142–1153. <https://doi.org/10.1039/C5JA00011D>
21. Batista, B.L.; Rodrigues, J.L.; Nunes, J.A. et.al. Exploiting dynamic reaction cell inductively coupled plasma mass spectrometry (DRC-ICP-MS) for sequential determination of trace elements in blood using a dilute-and-shoot procedure. *Anal. Chim. Acta*. **2009**. 639 (1–2), 13–18. <https://doi.org/10.1016/j.aca.2009.03.016>
22. McShane, W.J.; Pappas, R.S.; Wilson-McElprang, V. et.al. A rugged and transferable method for determining blood cadmium, mercury, and lead with inductively coupled plasma-mass spectrometry. *Spectrochim. Acta Part B*. **2008**, 63 (6), 638–644. <https://doi.org/10.1016/j.sab.2008.03.016>
23. Seregina, I.F.; Lanskaya, S.Yu.; Okina, O.I. et.al. *Journal of Analytical Chemistry*, **2010** 65, 964–972 <https://doi.org/10.1134/S1061934810090133>
24. Pröfrock, D. Inductively coupled plasma-mass spectrometry (ICP-MS) for quantitative analysis in environmental and life sciences: a review of challenges, solutions, and trends. *Applied Spectroscopy*, **2012**, 66 (8), 843–868. <https://doi.org/10.1366/12-06681>
25. Agatemor, Ch.; Beauchemin D. Matrix effects in inductively coupled plasma mass spectrometry: A review. *Anal. Chim. Acta*. **2011**. 706. (1), 66–83. <https://doi.org/10.1016/j.aca.2011.08.027>
26. Gulson, B.; Mizon, K.; Taylor, A. et.al., Longitudinal monitoring of selected elements in blood of healthy young children. *J. Trace Elem. Med. Biol.* **2008**, 22 (3), 206–214. <https://doi.org/10.1016/j.jtemb.2008.04.001>
27. Stavros, H-Ch. W.; Bonde, R.K; Fair, P.A. Concentrations of trace elements in blood and skin of Florida manatees (*Trichechus manatus latirostris*). *Mar. Pollut. Bull.* **2008**, 56 (6), 1215–1233. <https://doi.org/10.1016/j.marpolbul.2008.03.035>