

HOLLOW FIBER LIQUID PHASE AND DISPERSIVE MICROEXTRACTION OF
PARABENS

U.U. MALYTSKA, V.M. LEVCHYK, M.F. ZUI, V.N. ZAITSEV

References:

1. Cashman A. L., Warshaw E. M. Parabens: A Review of epidemiology, structure, allergenicity, and hormonal properties. *Dermatitis*. 2005, 16, 57-66.
2. Soni M.G., Carabin I.G., Burdock G.A. Safety assessment of esters of p-hydroxybenzoic acid (parabens). *Food and Chemical Toxicology*. 2005, 43, 985–1015.
3. Aalto T.R., Firman M.C., Rigler N.E. p-Hydroxybenzoic acid esters as preservatives, uses, antibacterial and antifungal studies, properties and determination. *Journal of the american pharmaceutical association*. 1953, XLII (8), 449-457.
4. Lokhnauth J.K., Snow N.N. Determination of parabens using solid phase micro-extraction-ion mobility spectrometry (SPME-IMS). *Anal. Chem.* 2005, 77(18), 5938-5946.
5. Oishi S. Effects of butyl paraben on the male reproductive system in mice. *ArchToxicol*. 2002, 76, 423-429.
6. Nguyen T., Clare B., Guo W., Martinac B. The effects of parabens on the mechano sensitive channels of *E. coli*. *European Biophysics Journal*. 2005, 34 (5), 389-395.
7. Byford J.R., Shaw L.E., Drew M.G.B., Pope G.S., Sauer M.J., Darbre P.D. Oestrogenic activity of parabens in MCF7 human breast cancer cells. *The Journal of Steroid Biochemistry and Molecular Biology*. 2002, 80 (1), 49–60.
8. Soni M.G., Taylor S.L., Greenberg N.A., Burdock G.A. Evaluation of the health aspects of methylparaben: a review of the published literature. *Food and Chemical Toxicology*. 2002, 40 (10), 1335-73.
9. Belikov O.E., Puchkova E.V. Preservatives in cosmetic and personal care products. - M. 2003, 250.
10. Elder R. L. Final amended report on the safety assessment of methylparaben, ethylparaben, propylparaben, isopropylparaben, butylparaben, isobutylparaben and benzylparaben as used in cosmetic products. *Int J Toxicol*. 2008, 27(4), 1-82.
11. Council Directive 76/768/EEC of 27 July 1976 on the approximation of the laws of the Member States relating to cosmetic products. (OJ L 262. 27.9.1976. p. 169).
12. European parliament and council directive. No 95/2/EC of 20 February 1995 on food additives other than colours and sweeteners (OJ No L 61. 18. 3. 1995. p. 1).
13. Reisch M.S., Keeping Well-Preserved. *Chem. Eng. News*. 2005, 83 (46), 25–27.
14. Legin G.Ya., Shehtman N.M. Conservation of cosmetic products and effective modern preservatives. M. 1983, N. 3, 1–36.
15. Okubo T., Yokoyama Y., Kano K., Kano I. ER-dependent estrogenic activity of parabens assessed by proliferation of human breast cancer MCF-7 cells and expression of ERα and PR. *Food and Chemical Toxicology*. 2001, 39, 1225–1232.
16. Darbre P. D., Aljarrah A., Miller W. R., Coldham N. G., Sauer M. J., Pope G. S. Concentrations of parabens in human breast tumours. *J. Appl. Toxicol*. 2004, 24, 5–13.
17. Delgado-Zamarren M.M., Gonzalez-Maza I., Sanchez-Perez A., Martinez R.C. Analysis of synthetic phenolic antioxidants in edible oils by micellar electrokinetic capillary chromatography. *Food Chemistry*. 2007, 100, 1722–1727.
18. Borremans M., Van Loco J., Roos P., Goeyens L. Validation of HPLC analysis of 2-phenoxyethanol, 1-phenoxypropan-2-ol, methyl, ethyl, propyl, butyl and benzyl 4-hydroxybenzoate (parabens) in cosmetic products, with emphasis on decision limit and detection capability. *Chromatographia*. 2004, 59, 47–53.
19. Lee M.-R., Lin Ch.-Y., Li Z.-G., Tsai T.-F. Simultaneous analysis of antioxidants and preservatives in cosmetics by supercritical fluid extraction combined with liquid chromatography–mass spectrometry.

- Journal of Chromatography A. 2006, 1120, 244–251.
20. Novakova L., Solich P., Matysova L., Šicha J. HPLC determination of estradiol, its degradation product, and preservatives in new topical formulation Estrogel HBF. *Anal Bioanal Chem.* 2004, 379, 781–787.
 21. Zhang Q., Lian M., Liu L., Cui H. High-performance liquid chromatographic assay of parabens in wash-off cosmetic products and foods using chemiluminescence detection. *Analytica Chimica Acta.* 2005, 537, 31–39.
 22. YeX., Bishop A.M., Needham L.L., Calafat A. M. Automated on-line column-switching HPLC-MS/MS method with peak focusing for measuring parabens, triclosan, and other environmental phenols in human milk. *Analytica chimica acta.* 2008, 622, 150–156.
 23. Ye X., Bishop A.M., Needham L.L., Calafat A.M. Automated on-line column-switching HPLC-MS/MS method for measuring environmental phenols and parabens in serum. *Talanta.* 2008, 76, 865–871.
 24. Panusa A., Gagliardi L. Counterfeit homeopathic medicinal products: Syrups. A simple and rapid LC-ESI-MS method to detect preservatives not declared in label. *Journal of Pharmaceutical and Biomedical Analysis.* 2008, 47, 786–789.
 25. Saad B., Bari M.F., Saleh M.I., Ahmad K.M., Talib M.K. Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography. *J. Chromatogr. A.* 2005, 1073, 393–397.
 26. Havlíkov L., Matysov L., Novakov L., Solich P. HPLC determination of calcium pantothenate and two preservatives in topical cream. *Journal of Pharmaceutical and Biomedical Analysis.* 2006, 41, 671–675.
 27. Solich P., Hajkova R., Pospisilova M., Šicha. Determination of methylparaben, propylparaben, clotrimazole and its degradation products in topical cream by RP-HPLC. *J. Chromatographia.* 2002, 55, 181–184.
 28. Lin H.J., Wang M.L., Chen C.W., Hwang B.S., Lee M.H., Choong Y.M. A Gas chromatographic method for determination of nicotinamide. paraben esters and caffeine in commercial health drinks, tonic drinks and cold formulas. *J. Food Drug. Anal.* 2000, 8, 180 –186.
 29. Tsai T-F., Lee M-R. Determination of Antioxidants and Preservatives in Cosmetics by SPME combined with GC-MS. *Chromatographia.* 2008, 67, 425–431.
 30. Guan Y., Chu Q., Fu L., Ye. Determination of antioxidants in cosmetics by micellar electrokinetic capillary chromatography with electrochemical detection. *J. Journal of Chromatography A.* 2005, 1074, 201–204.
 31. Memon N., Bhanger M.I., Khuhawer M. Y. Determination of preservatives in cosmetics and food samples by micellar liquid chromatography. *J. Sep. Sci.* 2005, 28, 635–638.
 32. Jaworska M., Szulinska Z., Wilk M. Application of a capillary electrophoresis method for simultaneous determination of preservatives in pharmaceutical formulations. *J. Sep. Sci.* 2005, 28, 137–143.
 33. Liu H., Wen Y., Luan F., Gao Y. Analysis of Food Additives by Capillary Electrophoresis. *Acta Chromatogr.* 2008, 20, 239–246.
 34. N. de Kruijf, Schouten A., Rijk M.A.H., Pranoto-Soetardhi A. Determination of preservatives in cosmetic products II. High-performance liquid chromatographic identification. *J. Chromatogr.* 1989, 469, 317–28.
 35. Gagliardi L., Cavazzuti G., Turchetto L., Manna F., Tonelli D. Determination of preservatives in cosmetic products by reversed-phase high-performance liquid chromatography. *J. Chromatogr.* 1990, 508, 252–58.
 36. Maeda Y., Yamamoto M., Owada K., Sato S., Masui T., Nakazawa H., Fujita M.. High-performance liquid chromatographic determination of six p-hydroxybenzoic acid esters in cosmetics using Sep-Pak Florisil cartridges for sample pretreatment. *J. Chromatogr.* 1987, 410, 413–18.
 37. Farajzadeh M.A., Djozan Dj., Bakhtiyari R.F. Use of a capillary tube for collecting an extraction solvent lighter than water after dispersive liquid-liquid microextraction and its application in the determination of parabens in different samples by gas chromatography–flame ionization detection. *Talanta.* 2010, 81, 1360-1367.
 38. Prichodko A., Jonusaite K., Vickackait V. Hollow fibre liquid phase microextraction of parabens. *Central*

European Journal of Chemistry. 2009, 7(3), 285-290.

39. Han Y., Jia X., Liu X., Duan T., Chen H. DLLME Combined with GC–MS for the determination of methylparaben, ethylparaben, propylparaben and butylparaben in beverage samples. *Cromatographia*. 2010, 72, 51–355.
40. Saraji M., Mirmahdieh S. Single-drop microextraction followed by in-syringe derivatization and GC-MS detection for the determination of parabens in water and cosmetic products. *J. Sep. Sci.* 200, 32, 988 – 995.
41. Yang P., Ren H., Qiu H., Liu X., Jiang S. Determination of four trace preservatives in street food by ionic liquid-based dispersive liquid–liquid micro-extraction. *Chemical Papers*. 2011, 6 (6), 747–753.
42. Krylov V.A., Krylov A.V., Mosyagin P.V., Matkivskaya Yu.O. Liquid-phase microextraction preconcentration of impurities. *Journal of Analytical Chemistry*. 2011, 66 (4), 341-360.
43. http://www.trimen.pl/witek/ciecze/old_liquids.html